	Type	L #	Hits	DBs	Search Text	Time Stamp
16	BRS	L22	18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	L21 and logic and (vector same space)	2007/06/11 14:49
17	BRS	L23	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(westphall-jonathan).in.	2007/06/11 14:51
18	BRS	L24	8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(westphal-jonathan).in.	2007/06/11 14:51

	Type	L #	Hits	DBs	Search Text	Time Stamp
1	BRS	L7	1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	"5379231".pn. and logic	2007/06/11 14:36
2	BRS	L8	759	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(computer same program) and (logic same circuit same reduction)	2007/06/11 14:37
3	BRS	L9	193	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(computer same program) and (logic same circuit same reduction) and (gate same reduction)	2007/06/11 14:37
4	BRS	L10	10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(computer same program) and (logic same circuit same reduction) and (gate same reduction) and (vector same space)	2007/06/11 14:40
5	BRS	L11	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(gate same redution).ti.	2007/06/11 14:38

	Type	L #	Hits	DBs	Search Text	Time Stamp
6	BRS	L13	2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(vector adj space) same (logic same circuit) and rules	2007/06/11 14:41
7	BRS	L12	8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(vector adj space) same (logic same circuit)	2007/06/11 14:41
8	BRS	L14	3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(gate adj reduction) same rules	2007/06/11 14:44
9	BRS	L15	17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(state adj tables) same reduction	2007/06/11 14:45
10	BRS	L16	0	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(state adj tables) same reduction and (vector adj space)	2007/06/11 14:45

	Type	L #	Hits	DBs	Search Text	Time Stamp
11	BRS	L18	242	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	703/1.ccls. and pd>= "20061127" and logic	2007/06/11 14:46
12	BRS	L17	953	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	703/1.ccls. and pd>= "20061127"	2007/06/11 14:46
13	BRS	L19	14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	703/1.ccls. and pd>= "20061127" and logic and (vector same space)	2007/06/11 14:47
14	BRS	L20	18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	716/1.ccls. and pd>= "20061127" and logic and (vector same space)	2007/06/11 14:47
15	BRS	L21	1702	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	716/1.ccls. and pd>= "20061127"	2007/06/11 14:48

Google Scholar BETA

Web Images Video News Maps more »

"A Gate-Level Leakage Power Reduction" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles** - **Recent articles** Results **1** - **10** of about **135** for **"A Gate-Level Leakage Power**

All Results
M Johnson
K Roy
D Blaauw
F Najm
J Halter

A gate-level leakage power reduction method for ultra-low-powerCMOS circuits - all 7 versions »
JP Halter, FN Najm - Custom Integrated Circuits Conference, 1997., Proceedings of ..., 1997 - ieeexplore.ieee.org
Page 1. **A Gate-Level Leakage Power Reduction** Method for Ultra-Low-Power CMOS Circuitst Jonathan P. Halter and Farid N. Najm ECE Dept. ...
Cited by 133 - Related Articles - Web Search - BL Direct

Estimation of standby leakage power in CMOS circuits considering accurate modeling of transistor ... - all 8 versions »
Z Chen, M Johnson, L Wei, K Roy - Proceedings of the 1998 international symposium on Low power ..., 1998 - portal.acm.org
Page 1. Estimation of Standby Leakage Power in CMOS Circuits Considering Accurate Modeling of Transistor Stacks Zhanping Chen, Mark ...
Cited by 145 - Related Articles - Web Search

Scaling of stack effect and its application for leakage reduction - all 6 versions »
S Narendra, V De, D Antoniadis, A Chandrakasan, S ... - Proceedings of the 2001 international symposium on Low power ..., 2001 - portal.acm.org
... [8] JP Halter and F. Najm, "**A gate-level leakage power reduction** method for ultra-low-power CMOS circuits," Custom Integrated Circuits Conf., pp. ...
Cited by 82 - Related Articles - Web Search

Evaluating run-time techniques for leakage power reduction - all 14 versions »
D Duarte, YF Tsai, N Vijaykrishnan, MJ Irwin - Design Automation Conference, 2002. Proceedings of ASP-DAC ..., 2002 - ieeexplore.ieee.org
Page 1. □ Acknowledgment: This research is supported in part by MARCO-GSRC grant 98-DT-660, NSF Career Award 0093085 and donations from Intel Corp. Abstract ...
Cited by 59 - Related Articles - Web Search

Leakage control with efficient use of transistor stacks in single threshold CMOS - all 14 versions »
MC Johnson, D Somasekhar, LY Chiou, K Roy - IEEE Transactions on Very Large Scale Integration(VLSI) ..., 2002 - doi.ieeecomputersociety.org
... 59-63. [4] Halter, JP, and Najm, F. **A gate-level leakage power reduction** method for ultra-low-power CMOS circuits. Proceedings of ...
Cited by 88 - Related Articles - Web Search - BL Direct

Design methodology for fine-grained leakage control in MTCMOS - all 7 versions »
BH Calhoun, FA Honore, A Chandrakasan - Proceedings of the 2003 international symposium on Low power ..., 2003 - portal.acm.org
... [5] JP Halter and F. N.Najm, "**A Gate-Level Leakage Power Reduction** Method for Ultra-Low-Power CMOS Circuits", CICC, 1997. [6 ...
Cited by 37 - Related Articles - Web Search

Duet: an accurate leakage estimation and optimization tool for dual-Vt circuits - all 4 versions »
S Sirichotiyakul, T Edwards, C Oh, R Panda, D ... - IEEE Transactions on Very Large Scale Integration (VLSI) ..., 2002 - portal.acm.org
... 16, pp. 343-352, 1997. 14 J. Halter and FN Najm, "**A gate-level leakage power reduction** method for ultra-low-power CMOS circuits," in Proc. ...
Cited by 36 - Related Articles - Web Search - BL Direct

Robust SAT-Based Search Algorithm for Leakage Power Reduction - all 6 versions »
FA Aloul, S Hassoun, KA Sakallah, D Blaauw - Proceedings of the 12th International Workshop on Integrated ..., 2002 - Springer
... 1998. 7. J. Halter and F. Najm, "**A gate-level leakage power reduction** method for ultra-low-power CMOS circuits," in Proc. of ...
Cited by 24 - Related Articles - Web Search - BL Direct

Leakage power analysis and reduction during behavioral synthesis - all 7 versions »
KS Khouri, NK Jha - Very Large Scale Integration (VLSI) Systems, IEEE ..., 2002 - ieeexplore.ieee.org
Page 1. 876 IEEE TRANSACTIONS ON VERY LARGE SCALE INTEGRATION (VLSI) SYSTEMS, VOL.
10, NO. 6, DECEMBER 2002 Leakage Power Analysis and Reduction ...
Cited by 32 - Related Articles - Web Search - BL Direct

Runtime mechanisms for leakage current reduction in CMOS VLSI circuits - all 6 versions »
AF Abdollahi, F Massoud - Low Power Electronics and Design, 2002. ISLPED'02. ..., 2002 - ieeexplore.ieee.org
Page 1 Runtime Mechanisms for Leakage Current Reduction in CMOS VLSI Circuits1'2 Afshin Abdollahi Farzan Fallah Massoud Pedram University of Southern ...
Cited by 26 - Related Articles - Web Search

Gooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

"A Gate-Level Leakage Power Redu Search

Google Home - About Google - About Google Scholar

Google Scholar BETA

Web Images Video News Maps more »

gate reduction logic circuit "vector space" Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar **All articles** - Recent articles Results **11** - **20** of about **715** for **gate reduction logic circuit "**

All Results
P Shor
A Barenco
M Nielsen
D DiVincenzo
C Bennett

Designing **logic** circuits for probabilistic computation in the presence of noise - all 4 versions »
K Nepal, RI Bahar, J Mundy, WR Patterson, A ... - Proceedings of the 42nd annual conference on Design ..., 2005 - portal.acm.org
... limits, with the ultimate transistor **gate** length near L ... a digital computation **circuit**, and the **reduction** of **logic** ... a **circuit** with hundreds of **logic** variables it ...
Cited by 10 - Related Articles - Web Search

Topological analysis for leakage prediction of digital circuits - all 7 versions »
W Jiang, V Tiwari, E de la Iglesia, A Sinha - Design Automation Conference, 2002. Proceedings of ASP-DAC ..., 2002 - ieeexplore.ieee.org
... Analytical models for leakage **reduction** in stacks have been studied in ... leakage current for a fully static four-input NAND **gate**. ... inputs a,b,c,d are at **logic** zero ...
Cited by 20 - Related Articles - Web Search

On the over-specification problem in sequential ATPG algorithms - all 6 versions »
KT Cheng, HKT Ma - Computer-Aided Design of Integrated Circuits and Systems, ..., 1993 - ieeexplore.ieee.org
... YL Lin, "Channel density **reduction** by routing density **reduction** by routing ... is implemented in two-level AND-OR **logic** with each AND **gate** corresponding to ...
Cited by 20 - Related Articles - Web Search - BL Direct

[CITATION] Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer - all 55 versions »
PW Shor - SIAM Review, 1999 - Society for Industrial and Applied Mathematics
... model is analogous to classical acyclic **circuits** in theoretical ... 3. Reversible **Logic** and Modular Exponentiation ... The definition of quantum **gate** arrays gives rise ...
Cited by 1240 - Related Articles - Web Search - BL Direct

Simulating the Effect of Decoherence and Inaccuracies on a Quantum Computer - all 7 versions »
KM Obenland, AM Despain - Proc. 1st NASA Conference on Quantum Computation and Quantum ..., 1998 - Springer
... a **logic** zero with the ground state of an ion, and a **logic** one with a ... the shift in the peak values causes a further **reduction** in the ... 3.4 The Error Rate per **Gate** ...
Cited by 12 - Related Articles - Web Search - BL Direct

Macromodeling and Optimization of Digital MOS VLSI Circuits - all 8 versions »
MD Matson, LA Glasser - Computer-Aided Design of Integrated Circuits and Systems, ..., 1986 - ieeexplore.ieee.org
... approach inappropriate for high-performance **circuit** design. Other authors have aimed for fast computation times by simplifying both the **logic gate** models and ...
Cited by 39 - Related Articles - Web Search - Library Search

An efficient comparative concurrent Built-In Self-Test technique - all 3

versions »
I Voyiatzis, D Nikolos, A Paschalis, C Halatsis, T ... - Test Symposium, 1995., Proceedings of the Fourth Asian, 1995 - ieeexplore.ieee.org
... R, we can compromise between the hardware overhead needed and the **reduction** in test ...
gate, the n-input OR **gate**, the n-input NOR **gate**, the D ... Figure 4: **Logic** Cell ...
Cited by 6 - Related Articles - Web Search

A METHODOLOGY FOR THE COMPUTATION OF AN UPPER BOUND ON NOISE CURRENT SPECTRUM OF CMOS SWITCHING ... - all 7 versions »
A Nardi, H Zeng, JL Garrett, L Daniel, AL ... - Proceedings of the International Conference on Computer Aided ... - doi.ieeecomputersociety.org
... Even though the entire **logic** space is ex- plored by the algorithm ... If the same notation introduced above for a **gate** is now used for a **circuit** block with p ...
Cited by 8 - Related Articles - Web Search - Library Search - BL Direct

FASER: Fast Analysis of Soft Error Susceptibility for Cell-Based Designs - all 6 versions »
B Zhang, WS Wang, M Orshansky - Proceedings of the 7th International Symposium on Quality ..., 2006 - portal.acm.org
... yet efficiently accounting for the **reduction** of error ... SER de-ratings due to electrical, **logic**, and latching ... on the specific transistor network of each **gate**. ...
Cited by 7 - Related Articles - Web Search

A Heuristic to Determine Low Leakage Sleep State Vectors for CMOS Combinational Circuits - all 7 versions »
RM Rao, F Liu, JL Burns, RB Brown - Proceedings of the International Conference on Computer Aided ... - doi.ieeecomputersociety.org
... a very effective approach for leakage **reduction** without significant ... cell C 0 should be at **logic** 0 state ... total leakage (ie, sub-threshold plus **gate** leakage) in ...
Cited by 9 - Related Articles - Web Search - BL Direct

◀ Goooooooooogle ▶
Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 **Next**

gate reduction logic circuit "vector sp Search

Google Home - About Google - About Google Scholar

	Type	L #	Hits	DBs	Search Text	Time Stamp
1	BRS	L8	174	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(logic same (simplify simple) same circuits) and (vector same space)	2007/06/11 15:07
2	BRS	L9	103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	(logic same (simplify simple) same circuits) and (vector same space) and ((simple simpler) same form)	2007/06/11 15:07